



CAS3+

Copy key with key

CG-DI



BMW OBD Key Match



CAS3 Key Match



BMW ISN



FEM/BDC Key Match



CAS4 Key Match



BMW Enable/Disable key



BMW F Series Program



BMW F Series Coding



EGS ISN

OBD connects vehicle, Click on the "BMW OBD KEY MATCH"

VIN:

CAS Version Number:

CAS Version:

Tooth code:

Remote frequency:

key inside ignition:

Read Key Info

Key NO.	Key Info					Remote Info		
	Key ID	Password	Cfg Page	Key Type	Status	Remote ID	Remote Password	Syn code
<input type="radio"/> Key1								
<input type="radio"/> Key2								
<input type="radio"/> Key3								
<input type="radio"/> Key4								
<input type="radio"/> Key5								
<input type="radio"/> Key6								
<input type="radio"/> Key7								
<input type="radio"/> Key8								
<input type="radio"/> Key9								
<input type="radio"/> Key10								

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key

Enable Key

Disable Key

Load Key Data



Click ' Read key info '

VIN: WBAFG2101E0G88212

CAS Version Number: 9287534

CAS Version: CAS3+ ISTAP

Tooth code: HA00030585

Remote frequency: 315

key inside ignition: None

Read Key Info

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key


Enable Key

Disable Key

Load Key Data

Key NO.	Key Info					Remote Info		
	Key ID	Password	Cfg Page	Key Type	Status	Remote ID	Remote Password	Syn code
<input type="radio"/> Key1								
<input type="radio"/> Key2								
<input type="radio"/> Key3								
<input type="radio"/> Key4								
<input type="radio"/> Key5								
<input type="radio"/> Key6								
<input type="radio"/> Key7								
<input type="radio"/> Key8								
<input type="radio"/> Key9								
<input type="radio"/> Key10								

Prompt

 Pls pop up the key from the ignition.

确定

Safety certification through
 Reading data
 Security authentication is in progress
 Safety certification through
 The data was read successfully
 Reading data
 The data was read successfully



Read Data

Pls pop up the key from the ignition,the data was read successfully

另存为

CAS3 4-29

搜索 CAS3 4-29

组织 新建文件夹

名称	修改日期	类型	大小
0L15Y(512K)-0630(33)FLA	2018/4/29 10:34	BIN 文件	512 KB
0L15Y(512K)-0630(34)EEP(0G88212_B...	2018/4/29 10:34	BIN 文件	4 KB
3 5	2018/4/29 10:07	BIN 文件	128 KB
3.5	2018/4/29 10:17	BIN 文件	128 KB
2018-4-29-9-12-1 9237046 BackEEPR...	2018/4/29 9:13	BIN 文件	10 KB
2018-4-29-9-48-11 9237046 BackEEP...	2018/4/29 9:51	BIN 文件	10 KB
DME-TC1797	2018/4/29 10:34	BIN 文件	64 KB
N20 EE	2018/4/29 9:37	BIN 文件	64 KB

文件名(N): 2018-4-29-11-29-11 9287534 BackEEPROM

保存类型(T): BIN (*.bin)

保存(S) 取消

Version: CAS3+ ISTAP

Ignition: None

Read Key Info

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key

Enable Key

Disable Key

Load Key Data

Upload file

151F 715E3D066F81 5037FD99

185ED05 47385F2E

47083F2 C6A97185

BA2BCAA 1CDA1F64

6D3994E 97C4D27A

D020EA2 1FA6A664

B4DD4A5 96145A76

C1A9BCB 93336D72

989156F D79F86CE

AFBBA8F 588E532F

FF FFFF 51AFBCA68788 C8B3E6A9 Unuse Enable

Key10

```

The data was read successfully
Reading data
The data was read successfully
Security authentication is in progress
Safety certification through
Reading key Information
Read key information success
  
```

Save the file

VIN: WBAFG2101E0G88212

CAS Version Number: 9287534

CAS Version: CAS+ ISTAP

Tooth code: HA00030585

Remote frequency: 315

key inside ignition: None

Read Key Info

Key NO.

Key Info

Remote Info

Key NO.	Key ID	Password	Cfg Page	Key Type	Status	Remote ID	Remote Password	Syn code
<input type="radio"/> Key1	B021499A	1DB44718BF6C	C858FA7B	Remote Key	Enable	E1B6	0769A989156F	D79F86CE
<input type="radio"/> Key2	F13A499A	3B996DE6D368	C8B3BC90	Remote Key	Enable	399D	160D7C1A9BCB	93336D72
<input type="radio"/> Key3	230A0697	F386C9C3C8B0	C88C DFA6	Remote Key	Enable	4714	071C8B4DD4A5	96145A76
<input type="radio"/> Key4	FFFFFFFF	24FEA66EE0DF	C83A4883	Unuse	Enable	95FB	D9F06D020EA2	1FA6A664
<input type="radio"/> Key5	FFFFFFFF	8D17A7BC3A6F	C8C6A955	Unuse	Enable	E0ED	BAE9DAFBBA8F	588E532F
<input type="radio"/> Key6	FFFFFFFF	EFA7405B692D	C844403C	Unuse	Enable	D75A	40421185ED05	47385F2E
<input type="radio"/> Key7	FFFFFFFF	57CBC74F479A	C87EAE6D	Unuse	Enable	EDCE	F865C47083F2	C6A97185
<input type="radio"/> Key8	FFFFFFFF	0136C50671D2	C8B8EE8D	Unuse	Enable	7F75	62563BA2BCAA	1CDA1F64
<input type="radio"/> Key9	FFFFFFFF	C669BDBEC853	C80BE19B	Unuse	Enable	64FE	9716D6D3994E	97C4D27A
<input type="radio"/> Key10	FFFFFFFF	51AFBCA68788	C8B3E6A9	Unuse	Enable	151F	715E3D066F81	5037FD99

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key

Enable Key

Disable Key

Load Key Data

The data was read successfully
 Reading data
 The data was read successfully
 Security authentication is in progress
 Safety certification through
 Reading key Information
 Read key information success



Upload file

Select the key to match and click to generate the dealer key

BMW CAS OBD Key Match Feature version:0005

VIN: WBAFG2101E0G88212 CAS Version Number: 9287534 CAS Version: CAS3+ ISTAP

Tooth code: HA00030585 Remote frequency: 315 key inside ignition: None

Key NO.	Key ID	Password	Cfg Page	Key Type	Status	Remote ID	Remote Password	Syn code
Key1	B021499A	1DB44718BF6C	C858FA7B	Remote Key	Enable	E1B6	0769A989156F	D79F86CE
Key2	F13A499A	3B996DE6D368	C8B3BC90	Remote Key	Enable	399D	160D7C1A9ECB	93336D72
Key3	230A0697	F386C9C3C						96145A76
Key4	FFFFFFFF	24FEA66						1FA6A664
Key5	FFFFFFFF	8D17A7BC3A						588E532F
Key6	FFFFFFFF	EFA7405B69						47385F2E
Key7	FFFFFFFF	57CBC74F4						C6A97185
Key8	FFFFFFFF	0136C50671						1CDA1F64
Key9	FFFFFFFF	C669BDBEC8						97C4D27A
Key10	FFFFFFFF	51AFBCA68						5037FD99

Read Key Info

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key

Enable Key

Disable Key

Load Key Data

BMW CAS OBD Key Match

Security authentication version matching key need to enter the engine ISN,

have engine data, the next step will load the engine data

Manually enter a known ISN

Try to take and insert the key 16 or 64 times

Next

The data was read successfully
 Reading data
 The data was read successfully
 Security authentication is in progress
 Safety certification through
 Reading key Information
 Read key information success

Upload file



Put the working key into the CG-DI programmer coil

VIN: WBAFG2101E0G88212

CAS Version Number: 9287534

CAS Version: CAS3+ ISTAP

Tooth code: HA00030585

Remote frequency: 315

key inside ignition: None

Read Key Info

Key NO.	Key Info					Remote Info		
	Key ID	Password	Cfg Page	Key Type	Status	Remote ID	Remote Password	Syn code
<input type="radio"/> Key1	B021499A	1DB44718BF6C	C858FA7B	Remote Key	Enable	E1B6	0769A989156F	D79F86CE
<input type="radio"/> Key2	F13A499A	3B996DE6D368	C8B3BC90	Remote Key	Enable	399D	160D7C1A9BCB	93336D72
<input type="radio"/> Key3	230A0697	F386C9C3C8B0	C88CDFA6	Remote Key	Enable	4714	071C8B4DD4A5	96145A76
<input type="radio"/> Key4	FFFFFFFF	24FEA66EE0DF	C83A4883	Unuse	Enable	95FB	D9F06D020EA2	1FA6A664
<input type="radio"/> Key5	FFFFFFFF	8D17A7BC3A6F	C8C6A955	Unuse	Enable	E0ED	BAE9DAFBBA8F	588E532F
<input type="radio"/> Key6	FFFFFFFF	EFA7405B692D	C844403C	Unuse	Enable	D75A	40421185ED05	47385F2E
<input checked="" type="radio"/> Key7	FFFFFFFF	57CBC74F479A	C87EAE6D	Unuse	Enable	EDCE	F865C47083F2	C6A97185
<input type="radio"/> Key8	FFFFFFFF	0136C50671D2	C8B8EE8D	Unuse	Enable	7F75	62563BA2BCAA	1CDA1F64
<input type="radio"/> Key9	FFFFFFFF	C669BDBEC853	C80BE19B	Unuse	Enable	64FE	9716D6D3994E	97C4D27A
<input type="radio"/> Key10	FFFFFFFF	51AFBCA68788	C8B3E6A9	Unuse	Enable	151F	715E3D066F81	5037FD99

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key

Enable Key

Disable Key

Load Key Data

```

Reading data
The data was read successfully
Security authentication is in progress
Safety certification through
Reading key Information
Read key information success
The work key is being read
    
```



Upload file

The work key is being read

VIN: WBAFG2101E0G88212

CAS Version Number: 9287534

CAS Version: CAS3+ ISTAP

Tooth code: HA00030585


Remote frequency: 315

key inside ignition: None

Read Key Info

Key NO	Key Info					Remote Info		
	Key ID	Password	Cfg Page	Key Type	Status	Remote ID	Remote Password	Syn code
<input type="radio"/> Key1	B021499A	1DB44718BF6C	C858FA7B	Remote Key	Enable	E1B6	0769A989156F	D79F86CE
<input type="radio"/> Key2	F13A499A	3B996DE6D368	C8B3BC90	Remote Key	Enable	399D	160D7C1A9BCB	93336D72
<input type="radio"/> Key3	230A0697	F386C9C3C8B0	C88CDFA6	Remote Key	Enable	4714	071C8B4DD4A5	96145A76
<input type="radio"/> Key4	FFFFFFFF	24FEA66EE0DF	C8				20EA2	1FA6A664
<input type="radio"/> Key5	FFFFFFFF	8D17A7BC3A6F	C8				BBA8F	588E532F
<input type="radio"/> Key6	FFFFFFFF	EFA7405B692D	C8				5ED05	47385F2E
<input checked="" type="radio"/> Key7	FFFFFFFF	57CBC74F479A	C8				083F2	C6A97185
<input type="radio"/> Key8	FFFFFFFF	0136C50671D2	C8				2BCAA	1CDA1F64
<input type="radio"/> Key9	FFFFFFFF	C669BDBEC853	C80BE19B	Unuse	Enable	64FE	9716D6D3994E	97C4D27A
<input type="radio"/> Key10	FFFFFFFF	51AFBCA68788	C8B3E6A9	Unuse	Enable	151F	715E3D066F81	5037FD99

Prompt

 pls put the blank key into the CGDI programmer coil.

确定

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key

Enable Key

Disable Key

Load Key Data

```
The data was read successfully
Security authentication is in progress
Safety certification through
Reading key Information
Read key information success
The work key is being read
Read the work key successfully
```



Upload file

Pls put the blank key into the CG-DI programmer coil

BMW CAS OBD Key Macth Feature version:0005


VIN: WBAFG2101E0G88212 CAS Version Number: 9287534 CAS Version: CAS3+ ISTAP
 Tooth code: HA00030585 Remote frequency: 315 key inside ignition: None

Key NO	Key Info					Remote Info		
	Key ID	Password	Cfg Page	Key Type	Status	Remote ID	Remote Password	Syn code
<input type="radio"/> Key1	B021499A	1DB44718BF6C	C858FA7B	Remote Key	Enable	E1B6	0769A989156F	D79F86CE
<input type="radio"/> Key2	F13A499A	3B996DE6D368	C8B3BC90	Remote Key	Enable	399D	160D7C1A9BCB	93336D72
<input type="radio"/> Key3	230A0697	F386C9C3C8B0	C88C DFA6	Remote Key	Enable	4714	071C8B4DD4A5	96145A76
<input type="radio"/> Key4	FFFFFFFF	24FEA66EE0DF	C88C DFA6	Remote Key	Enable	0EA2	1FA6A664	
<input type="radio"/> Key5	FFFFFFFF	8D17A7BC3A6F	C88C DFA6	Remote Key	Enable	BA8F	588E532F	
<input type="radio"/> Key6	FFFFFFFF	EFA7405B692D	C88C DFA6	Remote Key	Enable	ED05	47385F2E	
<input checked="" type="radio"/> Key7	FFFFFFFF	57CBC74F479A	C88C DFA6	Remote Key	Enable	83F2	C6A97185	
<input type="radio"/> Key8	FFFFFFFF	0136C50671D2	C88C DFA6	Remote Key	Enable	BCAA	1CDA1F64	
<input type="radio"/> Key9	FFFFFFFF	C669BDBEC853	C80BE19B	Unuse	Enable	64FE	9716D6D3994E	97C4D27A
<input type="radio"/> Key10	FFFFFFFF	51AFBCA68788	C8B3E6A9	Unuse	Enable	151F	715E3D066F81	5037FD99

Prompt

Whether the key currently programmed is a smart key?
 Note: If it is a smart key, the key will be locked!

The data was read successfully
 Security authentication is in progress
 Safety certification through
 Reading key Information
 Read key information success
 The work key is being read
 Read the work key successfully



Upload file

Read Key Info

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key

Enable Key

Disable Key

Load Key Data

We choose to match the ordinary key , click ' no '
 Note: If the key is a smart key ,it will be locked

VIN: WBAFG2101E0G88212

CAS Version Number: 9287534

CAS Version: CAS3+ ISTAP

Tooth code: HA00030585

Remote frequency: 315

key inside ignition: None

Read Key Info

Key NO	Key Info					Remote Info		
	Key ID	Password	Cfg Page	Key Type	Status	Remote ID	Remote Password	Syn code
<input type="radio"/> Key1	B021499A	1DB44718BF6C	C858FA7B	Remote Key	Enable	E1B6	0769A989156F	D79F86CE
<input type="radio"/> Key2	F13A499A	3B996DE6D368	C8B3BC90	Remote Key	Enable	399D	160D7C1A9BCB	93336D72
<input type="radio"/> Key3	230A0697	F386C9C3C8B0	C88CDFA6	Remote Key	Enable	4714	071C8B4DD4A5	96145A76
<input type="radio"/> Key4	FFFFFFFF	24FEA66EE0DF	C83A4883	Unuse	Enable	95FB	D9F06D020EA2	1FA6A664
<input type="radio"/> Key5	FFFFFFFF	8D17A7BC3A6F	C8C6A955	Unuse	Enable	E0ED	BAE9DAFBBA8F	588E532F
<input type="radio"/> Key6	FFFFFFFF	EFA7405B692D	C844403C	Unuse	Enable	D75A	40421185ED05	47385F2E
<input checked="" type="radio"/> Key7	FFFFFFFF	57CBC74F479A	C87EAE6D	Unuse	Enable	EDCE	F865C47083F2	C6A97185
<input type="radio"/> Key8	FFFFFFFF	0136C50671D2	C8B8EE8D	Unuse	Enable	7F75	62563BA2BCAA	1CDA1F64
<input type="radio"/> Key9	FFFFFFFF	C669BDBEC853	C80BE19B	Unuse	Enable	64FE	9716D6D3994E	97C4D27A
<input type="radio"/> Key10	FFFFFFFF	51AFBCA68788	C8B3E6A9	Unuse	Enable	151F	715E3D066F81	5037FD99

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key

Enable Key

Disable Key

Load Key Data

```

Security authentication is in progress
Safety certification through
Reading key Information
Read key information success
The work key is being read
Read the work key successfully
The key is being programmed
    
```



Upload file

Please wait until the key is programmed

VIN: WBAFG2101E0G88212

CAS Version Number: 9287534

CAS Version: CAS3+ ISTAP

Tooth code: HA00030585

Remote frequency: 315

key inside ignition: None

Read Key Info

Key NO	Key Info					Remote Info		
	Key ID	Password	Cfg Page	Key Type	Status	Remote ID	Remote Password	Syn code
<input type="radio"/> Key1	B021499A	1DB44718BF6C	C858FA7B	Remote Key	Enable	E1B6	0769A989156F	D79F86CE
<input type="radio"/> Key2	F13A499A	3B996DE6D368	C8B3BC90	Remote Key	Enable	399D	160D7C1A9BCB	93336D72
<input type="radio"/> Key3	230A0697	F386C9C3C8B0	C88CDFA6	Remote Key	Enable	4714	071C8B4DD4A5	96145A76
<input type="radio"/> Key4	FFFFFFFF	24FEA66EE0DF	C83A4883	Unuse	Enable	95FB	D9F06D020EA2	1FA6A664
<input type="radio"/> Key5	FFFFFFFF	8D17A7BC3A6F	C8C6A955	Unuse	Enable	E0ED	BAE9DAFBBA8F	588E532F
<input type="radio"/> Key6	FFFFFFFF	EFA7405B692D	C844403C	Unuse	Enable	D75A	40421185ED05	47385F2E
<input checked="" type="radio"/> Key7	FFFFFFFF	57CBC74F479A	C87EAE6D	Unuse	Enable	EDCE	F865C47083F2	C6A97185
<input type="radio"/> Key8	FFFFFFFF	0136C50671D2	C8B8EE8D	Unuse	Enable	7F75	62563BA2BCAA	1CDA1F64
<input type="radio"/> Key9	FFFFFFFF	C669BDBEC853	C80BE19B	Unuse	Enable	64FE	9716D6D3994E	97C4D27A
<input type="radio"/> Key10	FFFFFFFF	51AFBCA68788	C8B3E6A9	Unuse	Enable	151F	715E3D066F81	5037FD99

Generate dealer key

Syn DME

Syn ELV

Restore key bit

Unlock Key

Enable Key

Disable Key

Load Key Data

```

Safety certification through
Reading key Information
Read key information success
The work key is being read
Read the work key successfully
The key is being programmed
The programming key was successful
    
```



Upload file

Key matching success



After learning, it can be used normally