


How to Install SVCI 6154A

1) install ODIS software (SVCI 6154A support both original and crack software)


2) install SVCI 6154A Loader:  SVCI_6154A_Loader_Setup_qt_x86_2v1

3) Run SVCI 6154A Loader

--only need run loader for the first time when use SVCI 6154A



4) click <Upgrade Firmware>

The screenshot shows the 'SVCI 6154A 设备管理器' (SVCI 6154A Device Manager) software interface. The window title is 'SVCI 6154A 设备管理器'. The interface includes a top navigation bar with icons for '快速启动' (Quick Start), '远程诊断' (Remote Diagnosis), '设备管理' (Device Management), '系统设置' (System Settings), and '帮助中心' (Help Center). The main content area is split into two panels. The left panel displays device information: '设备序列号: VA00000106#5000106' with a '修改序列号' (Modify Serial Number) button, '当前固件1版本: V0.1', '当前固件2版本: V1.0.0.11.1', '服务器固件1版本: V0.4', and '服务器固件2版本: V1.0.0.11'. The right panel shows a yellow SVCI 6154A diagnostic tool with buttons for POWER, CONN, MODE, and INFO. A red arrow points to a blue button labeled '一键更新固件' (One-click Update Firmware) at the bottom right of the tool image. Below the arrow, the text 'Click Upgrade Firmware' is written in red. The bottom left corner of the window shows '主程序版本:1.0.0'.

- 5.1) run ODIS software, click <Diagnostic Interface>
- 5.2) Choose the device SN you are using.
- 5.3) Click <Use Selected VCI>

Vehicle project: --- (Engineering) Vehicle name: Vehicle connection: VAS6154A
 Vehicle ID: --- Vehicle status: No h...able

Vehicle project: VWE31CN
 Diagnostic Entrance

Specify VCI

The following VCI(s) was/were found:

Filter: Update

Diagnostics hardware type	Serial number	ID	Available
VAS 6154A	5000001	00	free
VAS 6154A	6543211	00	free
J2534 PassThru interface	---	CarDAQ-Plus 3	---
J2534 PassThru interface	---	STIC - SVCI	---

VCI configuration Details

Use selected VCI Close

Copyright by Volkswagen AG. All rights reserved, especially but not limited to duplication, distribution and making publicly available.

Technical support:
 odis-engineering@volkswagen.de
 Tel.: +49 5361-9-16132
 Support request F3

Admin
 BZD logs
 Macros
 Trace
 Help
 Configuration
 Diagnostic Interface
 ODX update
 Update
 Order license
 Connection Test
 Get hotfix
 Delete hotfix

Application start was ended.

- 6) now you can go to use ODIS functions.

